



CW614N (CuZn39Pb3)

EQUIVALENT SPECIFICATION

Grade: CW614N (CuZn39Pb3)
Standard: EN12164

CHEMICAL SPECIFICATION

Cu	Pb	Fe	Zn	Imp.	Sn	Ni	Al		
57 - 59	2.5 - 3.5	0.3	Rem	0.2	0.3	0.3	0.05		

DESCRIPTION:

Brass alloy CW614N is used for machining. It has Lead added to the composition to improve machinability. The Lead remains insoluble in the microstructure of the brass and the soft particles act as chip breakers.

TYPICAL APPLICATIONS:

High speed machined components, Architectural extrusions, Locks, Hinge



PRODUCT

Rods & Bars
Hollow
Sections & Profiles
Ingots
Billets

SIZE RANGE

Dia. 8.00 mm to 101.00 mm

OTHER ALLOYS

Free Cutting Brass
Forging Brass
Naval Brass
Leaded Brass

Lead Free Brass
Silicon Brass
Eco Brass
DZR Brass

Low Leaded Brass
High tensile Brass
Bismuth Bronze
Copper & Copper Alloys



CONTACT US AT

sales@jalarammetalalloys.com



Plot No. 457, G.I.D.C. Shankar Tekri
Udyognagar, Jamnagar-361004,
Gujarat, INDIA

NIKET SHAH

+91 9879 234 953
+91 9825 124 243